

The perfect combination of power and efficiency







The design of Magna places the operator at the center, protecting him or her within a robust structure and ensuring that he or she is surrounded by a comfortable and functional space.

The size also conveys this model's power and solidity externally as well, as it has been created for the most demanding environments. The front of the machine, the elongated LED headlights, and the sleek shape lighten the bulk and emphasize the in-depth research that led to the development of this perfect combination of power and aesthetics. Compartments designed for the extra accessories do not interfere with the original shapes either, rather they become part of the machine itself.

The technology on board improves the user experience and increases interaction, given that there are more functions and programs designed to reduce consumption, optimize cleaning times and lower cleaning costs.

Magna

Quality materials are at the heart of its robust core

The aesthetically pleasing design highlights the robust construction, suitable for demanding applications in industrial environments

The polyethylene which composes the body of the machine offers high resistance to impact. It protects all of the internal parts of the machine in order to prevent possible damage during use





Magna

Comfort is essential for a job well done

The driving position offers full visibility and is spacious and accessible from both sides.

It has a comfortable seat with arm rests, plenty of space for the legs, an ergonomic steering wheel and all of the controls concentrated on the touch screen display.

The operator is at ease knowing he has complete control over the machine and can manage all of the activities from a comfortable position, which includes enabling all of the necessary functions in a simple and intuitive manner.



Boasting FNC and Eco Mode technology, the Magna is extremely quiet, which benefits the health of the operator and of any people nearby



The lateral paddles help to ensure the operator is always facing the direction of travel, with no distractions

IFIMA?

The lowered footboard facilitates access from both sides and allows the operator to sit easily without any effort



Comfort is essential for a job well done



NO TRAINING The integrated video tutorials demonstrate how to perform routine and extraordinary maintenance

SERVICE LIGHTS



The exclusive lights pack offers increased visibility of the parts which could require operator inspection, illuminating the relative zones with LED lights



FFF - FIMAP FAST FILL

Automatic system for filling the fresh water tank, lets the operator perform other activities while the tank quickly fills up



SPRAY GUN

Facilitates quick and easy rinsing of the recovery tank at the end of the operation



YELLOW COLOUR-CODED PARTS

Parts which must be cleaned regularly at the end of every shift are colour coded in yellow for easy identification, saving time and making sure that your scrubbing machine is kept in perfect condition at all times



Equipped to provide you with the best performance possible in any environment and under any conditions



Dual 3-stage vacuum motor Effective vacuum system which leaves the floor dry with no risk of slipping



VACUUM WAND

Enables cleaning of areas that are difficult to reach with the machine and completing the operation every time

BRUSHLESS MOTORS

For guaranteed reliability even in aggressive environments, with no maintenance required



FLR-FIMAP LONG RANGE Increases productivity by up to 70%



RAMP UP

Astonishing performance in any situation

A special electronic control modulates power precisely, enabling the machine to climb ramps of up to 18% easily and smoothly, with no interruption or loss of power delivery.

Adjustable pressure on the brushes

With a brush pressure which can be set to up to 150 Kg, the machine can tackle even the most stubborn dirt

POWER MODE

When more scrubbing power is needed, activating Power Mode increases the delivery rate of detergent solution and boosts brush pressure and vacuum power for the time necessary to tackle heavy duty cleaning

OWER mode

REAR VIEW CAMERA

Lets the operator monitor cleaning results in real time from the display, without taking his or her eyes off the direction of travel

Light steering for even more operator comfort

The dual front wheel reduces the specific pressure exerted on the floor, making the steering action lighter. This solution also increases manoeuvrability and prevents marking, even on the most delicate floors

A LATERAL BRUSH FOR EVEN MORE GREATER PRODUCTIVITY



The third brush moves laterally to facilitate cleaning along walls or shelves, increasing productivity by up to 15%

Save time by working faster Up to 6 Km/h in work mode and 9 Km/h in transfer mode

> Great autonomy Work for up to 5 hours non-stop



Designed to be the safest machine in any situation

ACTIVE TECHNOLOGIES to prevent accidents



Safety is paramount

The Magna is equipped with a host of safety systems and features to keep the operator in complete control at all times, working with total peace of mind





Designed to be the safest machine in any situation

ACTIVE TECHNOLOGIES to prevent accidents



Enhances visibility in dim light



Maintains a constant speed when driving downhill, and prevents sudden increases in speed caused by gravity



The steering wheel controls offer the operator even greater control when cleaning, and also improve safety by eliminating distractions and letting the operator keep his or her eyes on the zone ahead of the machine





Control device letting the operator set the required speed

| | C | Rι | JĽ | SI | Е |
|---|---|----|----|----|----|
| С | 0 | N | TF | 20 | DL |



Automatically reduces speed when steering without the operator using the brake

ESC - ELECTRONIC STABILITY CONTROL



To protect operators working in warehouses and logistics centers

GUARD



The traction control system, which brakes and holds the machine when the accelerator pedal is released, provides assistance for both uphill and downhill gradients



Is automatically operated when the machine stops. It works as a safety parking brake

ELECTROBRAKE



Self-adjusting, guaranteeing the best braking performance

HYDRAULIC **DRUM BRAKES**





STOP

SOS DEVICE

s



Driving system with touchscreen display which transforms cleaning into a revolutionary experience



iD-intelligent Drive









SUSTAINABLE









DISPLAY

LOG-IN WITH

ZONE PROGRAMS

`(``)

REAR VIEW CAMERA





The operator is the center of a high-tech universe, where everything is easy, intuitive and dynamic

All functions and activities are managed from a single interface, where a mere touch of the finger offers access to an extraordinary choice of customizable features to satisfy all types of requirements with extreme simplicity.

The high definition colour display offers the same intuitive experience as a smartphone



LOG-IN WITH PASSWORD To protect your investment



ZONE PROGRAMS For all the performance you'll ever need



ECO MODE To protect the environment



POWER MODE For maximum power when you need it



REAR VIEW CAMERA To keep everything under control



VIDEO TUTORIALS For a more efficient, fast and easy operator training



EXPERIENCE CONNECTIVITY





Developing new technology to improve efficiency is one of the core missions of Fimap.

An example of this is FFM, the Fimap Fleet Management system which collects the data sent by the machines and transforms it into valuable information accessible to you easily in real time, 24/7, from your smartphone, through the app My.Machine.

Being constantly connected to your machines will help you operate them even more efficiently and effectively.

My.Machine lets you know where the machines are, if the operation is being carried out according to plans and at the scheduled time.

The machines health status is constantly monitored. In the very unlikely event of a breakdown, you'll receive an alert notification directly on your smartphone, allowing you to take action promptly and immediately call the technical support. You can check the battery conditions and the quality of the charges in order to optimize battery endurance and life cycle.

Discover FFM and experience the advantages of being constantly connected with the My.Machine app!







Keep tabs on your machines remotely when you want and from wherever you want!





Sustainable solutions to protect the environment

Fimap sustainable technological solutions guarantee a reduction in cost per sq.m. cleaned, more working autonomy, time savings and better cleaning results, enabling you to cover more surface area with the same resources.



The Eco Mode function helps prevent water, detergent and energy consumption by using only the quantities you need and nothing more



When the machine is idle, the brush motor, the vacuum motor, the traction and detergent pump will turn off automatically, reducing costs and emissions. All the functions are reactivated as soon as the operator touches the accelerator again

WATER



FLR-FIMAP LONG RANGE

Reduces water and detergent consumption per cleaning operation by up to 66%*. This is a system which recycles detergent solution to increase autonomy: to scrub more sq.m. while using less resources



FSS-FIMAP SOLUTION SAVER Water and detergent quantities are separately dosed, reducing consumption by up to 50%

ßFWF

FWF-FIMAP WATER FLOW Ensures uniform cleaning results across the entire working width on the first pass, optimising detergent solution consumption

NOISE LEVELS



FNC-FIMAP NOISE CANCELLING Reduces sound pressure

ENERGY



FES-FIMAP ENERGY SAVER Reduces energy consumption by up to 35%

LED TECHNOLOGY Up to 80% lower energy consumption than conventional headlights. The LED headlights consume much less energy than conventional headlights, offer a longer lifespan and illuminate with a brilliant white light similar to natural daylight

*Saving calculated on a triple recycling cycle



∢×



Choose the right version for your sector



DISC with 2 disc brushes or 2 pad holders CYLINDRICAL with 2 cylindrical brushes and a debris hopper for small sized solid debris



Basic





Enhance it with the most suitable accessories for your specific requirements

OPTIONALS



Vacuum wand



Spray gun



Seat with armrests and seat belt



FFF-FIMAP FAST FILL



Side scrubbing brush (available for disc versions)



2 side scrubbing brushes increase cleaning performance along walls (available for Cylindrical versions)



Dual 3-stage vacuum motor



FFM-FIMAP FLEET MANAGEMENT



Front and rear LED headlights kit



Rear/front super elastic wheels kit, for minimal vibration and increased comfort



Overhead guard and bumpers



FSS-FIMAP SOLUTION SAVER



FLR-FIMAP LONG RANGE

ACCESSORIES





A wide choice of disc or cylindrical brushes in PPL is offered, 0.6 or 0.9 thick. These offer the perfect solution for dealing with any type of dirt on any floor

Abrasive brushes: Ideal for heavy duty cleaning on industrial surfaces



Rear squeegee rubber blades

33 SHORE (PARA): For maintenance cleaning of smooth floors

40 SHORE (PARA): For stubborn dirt on floors with joints

POLYURETHANE: For heavy duty cleaning on industrial floors, even with wide gaps

Magna

OPTIONAL AND STANDARD EQUIPMENT

| USER EXPERIENCE | Magna | Magna | Magna Cylindrical | Magna Cylindrical |
|--|-------|-------|-------------------|-------------------|
| | | PLUS | | PLUS |
| iD-Intelligent Drive: | - | • | - | • |
| – 5 inch high resolution colour touch screen | - | • | - | • |
| - Log-in with password | - | • | - | • |
| – Zone programs | - | • | - | • |
| - Cruise control | - | • | - | ٠ |
| - Eco Mode | - | • | - | • |
| – Power Mode | - | • | - | • |
| - Rear view camera | - | • | - | • |
| – Anti-collision system | - | • | - | • |
| – Video tutorials | - | • | - | ٠ |
| | | | | |
| COMFORT | | | | |
| Hour meter | • | • | • | • |
| Cleaning solution level indicator | • | • | • | • |
| Water and detergent empty tank lights | - | • | - | • |
| Vacuum wand kit | 0 | 0 | 0 | 0 |
| Spray gun kit | 0 | 0 | 0 | 0 |
| Seat with armrests | 0 | • | 0 | • |
| FFF (Fimap Fast Fill) | 0 | 0 | 0 | 0 |
| PRODUCTIVITY | | | | |
| Pressure adjustment | - | • | - | • |
| Extra pressure | • | - | • | |
| Right-hand side scrubbing brush | 0 | 0 | - | - |
| 2 sweeping side brushes | - | - | 0 | 0 |
| 3-stage vacuum motor | • | • | • | • |
| 2 3-stage vacuum motors | 0 | 0 | 0 | 0 |
| FFM (Fimap Fleet Management) with SOS device | 0 | 0 | 0 | 0 |
| | | | | |
| SAFETY | | | | |
| Blinking light | • | • | • | • |
| Driving LED headlights kit (front-back) | 0 | - | 0 | - |
| Driving headlights kit (front-rear) and LED warning lights | - | • | - | • |
| Super elastic wheels kit (front-rear) | 0 | 0 | 0 | 0 |
| Ramp up | • | • | • | • |
| Stop£tGo | • | • | • | • |
| Descent control | • | • | • | • |
| ESC (Electronic Stability Control) | • | • | • | • |
| Emergency Stop | • | • | • | • |
| Overhead guard* | 0 | 0 | 0 | 0 |
| Front bumper kit | 0 | 0 | 0 | 0 |
| Seat with armrests and seat belts | 0 | • | 0 | • |
| | | | | |
| ENVIRONMENT | | | | |
| FSS (Fimap Solution Saver)** | 0 | 0 | 0 | 0 |
| FLR (Fimap Long Range)** | 0 | 0 | 0 | 0 |
| FNC (Fimap Noise Canceling) | • | - | • | - |
| FES (Fimap Energy Saver) | • | • | • | • |
| FWF (Fimap Water Flow) | • | • | - | - |
| Start&Stop | • | • | • | • |

* Can only be installed if the front bumper kit is present

** The two devices cannot be installed together

| STANDARD | ○ UPON REQUEST | - NOT AVAILABLE |
|----------|----------------|-----------------|
|----------|----------------|-----------------|

DIMENSIONS AND TECHNICAL DATA







100 mm

| TECHNICAL DATA | | Magna / Plus | Magna Cylindrical / Plus |
|---|---------------|-----------------------|--------------------------|
| Working width | mm | 900 | 825 |
| Working width with side brushes | (no.) mm | (1) 1050 | (2) 1200 |
| Squeegee width | mm | 1100 | 1100 |
| Disc brushes Ø | (no.) mm | (2) 460 | - |
| Cylindrical brushes Ø | (no.) mm | - | (2) 210x856 |
| Side brushes Ø | (no.) mm | (1) 290 | (2) 450 |
| Solution tank | I | 190 | 190 |
| Recovery tank | I | 200 | 200 |
| Supply/Traction | V | 36/aut. | 36/aut. |
| Acoustic level (ISO 11201) | dB (A) | <70 | <70 |
| Brush motors | (no.) V/W | (2) 36/750 | (2) 36/750 |
| Suction motor | V/W | 36/650 | 36/650 |
| Suction vacuum | mbar | 190 | 190 |
| Traction motor | V/W | 36/900 DC / 36/900 AC | 36/900 DC / 36/900 AC |
| Brush rpm (central / side) | rpm | 180 / 140 | 550 / 75 |
| Brush pressure | kg | 45÷150 | 30÷60 |
| Forward speed | km/h | 0÷9 | 0÷9 |
| Minimum aisle turn | mm | 2450 | 2450 |
| Gradeability (Working / Transport at gross weight / Transport at net weight) | 0/0 | 7/10/18 | 7/10/18 |
| Batteries | (no.) V/Ah C5 | (2) 18/360 | (2) 18/360 |
| Batteries weight | kg | 416 | 416 |
| Machine weight (without battery – without side brushes) | kg | 450 | 440 |
| Working capacity | up to sqm/h | 5400 | 5000 |
| Battery compartment dimensions (L x h x w) | mm | 960 x 400 x 505 | 960 x 400 x 505 |



Your best investment in cleaning

FIMAP INTELLIGENCE





FIMAP MAINTENANCE



A FIMAP FLEET MANAGEMENT





€ FIMAP FINANCE



CERTIFICATIONS

FIMAP ACADEMY













For any additional information or for a demo please contact your usual Fimap dealer

bv









Scan the QR Code with your Smart Phone and visit our web-site



The service package that gives you more of what you need for less than you think! We want you to deal only with your work, leave everything else to Fimap Life!