Scrubbing, sweeping and drying in every corner

Productivity is high due to the sheer speed of the machine as it is sweeping, scrubbing and drying at the same time, moving both forward and backward. Debris, dirt and even the smallest dust particles are removed effectively by the 34 cm cylindrical brush. For more in-depth cleaning without sweeping feature a microfibre roller can be used as option.

When cleaning, you can lift the front squeegee from the user position for easy pick-up of larger debris without having to stop. With two different solution flows you can adjust so it fits the cleaning task. Two simple ways to save time and cost without compromising on the result.

- Easy handling: Tank-in-tank design for carrying in one hand provide an easy emptying and refilling
- Effective: Sweeping, scrubbing and drying at the same time.
- High cleaning performance: 34 cm cylindrical brush or microfibre roll
- Productive: The 6 L solution and recovery tank gives up to 40 minutes of working time without refill
- Powerful: Nilfisk 36V Lithium battery technology
- Easy to use: The ergonomic handle can be adjusted into different positions, used free floating or folded for storage
- Intuitive and self-explaining: Informative display on the handle.
- · Full control: OneTouch button activates all essential functions, touch sensors in the handle provide easy operation
- Non-stop cleaning: The two water/solution settings can be changed on-the-fly
- Safe: Out of Water alarm protects the machine
- · Convenient: Easy to carry and move due to its compact design and low weight
- One year commercial warranty

The Nilfisk SC250 is a compact scrubber dryer for fast and effective cleaning of hard floors, which will take you into every corner and ensure efficient cleaning in both directions - also under furniture and shelves.

This is a light and productive machine with a low sound level suited for daytime cleaning as it is battery-driven. An attractive choice for shops, schools, restaurants, cafes, bakeries, fast food chains, hotels, cleaning companies, etc.

Standard equipment

	Included accessories	Ref. no.	Min. required	SCRUBBER SC250 34C B	Price
Price				3.760,00	
Brush Cylindr	rical				
-	BRUSH CYL 340MM MEDIUM	9100002066	1	•	62,70
Squeegee Bla	Squeegee Blade				
1	SQUEEGEE 360MM PU 2 PCS	9100002064	1	•	88,80
Battery and C	Charger				
c 🍫	BATTERY LI KIT INCL	9100002056	1	•	1.250,00





Picture shown may not represent model quoted

Scrubbing, sweeping and drying in every corner

Included accessories		Ref. no.	Min. required	SCRUBBER SC250 34C B	Price
Other					
-	MINI CONTAINER PLAST. F	9100001964	1	•	16,70
Model SCRUB				IBBER SC250 34C B	
Ref. no.			908	9087380020	
PRODUCT	FEATURES				
Compact de	sign				•
Lithium Battery				•	
Delivered ready to use (full package)				•	
One Touch Button				•	
Tank in tank solution				•	
Scrubbing a	nd sweeping				•
Technical sp	pecifications			SCRUE	BBER SC250 34C B
Voltage (V)					36

Insulation classIIIRated power (W)300Power consumption (kW)0.3Vacuum motor power (W)180Sound pressure level at 1.5 m (dB(A) ISO 3744)66 ± 3Productivity theoretical/ actual (m²/h)1360/680Running time (min.)40Handle vibration level (m/s²)< 2.5Water flow (Jm)0.15/0.3Solution/recovery tank (L)6/6Squeege width (mm)340Brush pressure (kg)Max 12Brush speed (RPM)1000Brush quantity and type1 CylLength x width x height (mm)630x425x400Gross weight (kgy)32Neiveight (kg)30	Voltage (V)	36
Power consumption (kW)0.3Vacuum motor power (W)180Sound pressure level at 1.5 m (dB(A) ISO 3744)66 ± 3Productivity theoretical/ actual (m²/h)1360/680Running time (min.)40Handle vibration level (m/s²)< 2.5	Insulation class	III
Vacuum motor power (W)180Sound pressure level at 1.5 m (dB(A) ISO 3744)66 ± 3Productivity theoretical/ actual (m²/h)1360/680Running time (min.)40Handle vibration level (m/s²)< 2.5	Rated power (W)	300
Sound pressure level at 1.5 m (dB(A) ISO 3744)66 ± 3Productivity theoretical/ actual (m²/h)1360/680Running time (min.)40Handle vibration level (m/s²)< 2.5	Power consumption (kW)	0.3
Productivity theoretical/ actual (m²/h)1360/680Running time (min.)40Handle vibration level (m/s²)<2.5	Vacuum motor power (W)	180
Running time (min.)40Handle vibration level (m/s²)<2.5	Sound pressure level at 1.5 m (dB(A) ISO 3744)	66 ±3
Handle vibration level (m/s²)< 2.5Water flow (l/m)0.15/0.3Solution/recovery tank (L)6/6Squeegee width (mm)340Brush pressure (kg)Max 12Brush speed (RPM)1000Brush quantity and type1 CylLength x width x height (mm)630x425x400Gross weight (gvw) (kg)32Net weight (kg)25	Productivity theoretical/ actual (m²/h)	1360/680
Water flow (I/m)0.15/0.3Solution/recovery tank (L)6/6Squeegee width (mm)340Brush pressure (kg)Max 12Brush speed (RPM)1000Brush quantity and type1 CylLength x width x height (mm)630x425x400Gross weight (gvw) (kg)32Net weight (kg)25	Running time (min.)	40
Solution/recovery tank (L)6/6Squeegee width (mm)340Brush pressure (kg)Max 12Brush speed (RPM)1000Brush quantity and type1 CylLength x width x height (mm)630x425x400Gross weight (gvw) (kg)32Net weight (kg)25	Handle vibration level (m/s ²)	< 2.5
Squeegee width (mm)340Brush pressure (kg)Max 12Brush speed (RPM)1000Brush quantity and type1 CylLength x width x height (mm)630x425x400Gross weight (gvw) (kg)32Net weight (kg)25	Water flow (I/m)	0.15/0.3
Brush pressure (kg)Max 12Brush speed (RPM)1000Brush quantity and type1 CylLength x width x height (mm)630x425x400Gross weight (gvw) (kg)32Net weight (kg)25	Solution/recovery tank (L)	6/6
Brush speed (RPM)1000Brush quantity and type1 CylLength x width x height (mm)630x425x400Gross weight (gvw) (kg)32Net weight (kg)25	Squeegee width (mm)	340
Brush quantity and type1 CylLength x width x height (mm)630x425x400Gross weight (gvw) (kg)32Net weight (kg)25	Brush pressure (kg)	Max 12
Length x width x height (mm)630x425x400Gross weight (gvw) (kg)32Net weight (kg)25	Brush speed (RPM)	1000
Gross weight (gvw) (kg)32Net weight (kg)25	Brush quantity and type	1 Cyl
Net weight (kg) 25	Length x width x height (mm)	630x425x400
	Gross weight (gvw) (kg)	32
Shipping weight (kg) 30	Net weight (kg)	25
	Shipping weight (kg)	30



Scrubbing, sweeping and drying in every corner

ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	SCRUBBER SC250 34C B	Price
Price				3.760,00	
Other					
-	MINI CONTAINER PLAST. F	9100001964	1	•	16,70
Battery and C	harger				
or 🇳	BATTERY LI KIT INCL	9100002056	1	•	1.250,00
Brush Cylindr	ical				
-	BRUSH CYL 340MM	9100002068	1	0	78,40
-	BRUSH CYL 340MM HARD	9100002067	1	0	172,00
-	BRUSH CYL 340MM MEDIUM	9100002066	1	•	62,70
	BRUSH CYL 340MM SOFT	9100002069	1	O	104,50
Squeegee Bla	ade				
N'y	SQUEEGEE 360MM PU 2 PCS	9100002064	1	•	88,80

